

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040236966".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/10 16:32
S2	2	"20030236999".pn. or "20030035370".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/10 16:32
S3	0	S2 and (buffer\$1 or queue\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/10 16:33
S4	1	S2 and (buffer\$1 or queue\$1 or store\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/10 16:35
S5	27	(queue\$1 with (rate\$1 or priorit\$3) with (source adj address\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/19 13:55
S6	1	"6775290".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/10 17:06
S7	3	"6167445".pn. or "6775290".pn. or "200320030236999".pn. or "20030035370".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:30
S8	2	10/440,233	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/12 14:31
S9	6	(good with source with table\$1) and (denial near3 service\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:38
S10	4	(good with source with table\$1) and (intrusion)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:21
S11	229	(good with source with table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:21

## EAST Search History

S12	6	(good near2 source near2 table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:22
S13	7	(good with source with address with table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:38
S14	1486012	(good wth build with table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:40
S15	4179	(denial near3 service\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:38
S16	1382	S14 and S15	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:39
S17	72324	(good wth build with table\$1) same (source)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:42
S18	292	S15 and S17	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:39
S19	3	(good with build with table\$1) same (source)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:40
S20	62	(good with build with table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:40
S21	0	S15 and S20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:40
S22	229	(good with table\$1) with (source)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:42
S23	6	S15 and S22	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:44

## EAST Search History

S24	0	TCP with "FIN" with (destination adj table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:45
S25	0	TCP with fin with (destination adj table\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:45
S26	3	TCP with "FIN" with (destination adj address\$2) with table\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 20:58
S27	18	(TCP near3 FIN) with table\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/13 21:16
S28	1	"20030115485".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/14 07:23
S29	1	"20030174840"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/15 12:47
S30	1	"20040250123".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/16 17:04
S31	1	"20030110393".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/17 11:06
S33	1	(source adj address\$2) and S31	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/17 11:06
S34	9328	726/23-26.ccls. or 726/3-7.ccls. or 713/151-154.ccls. or 713/168-171.ccls. or 380/229-233.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/19 13:55
S35	314	(queue\$1 with (source adj address\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/19 13:56
S36	7	S34 and S35	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/03/19 13:56